

# Formulation and Characterization of Moringa Oleifera Nano Particles

Shaveta Sharma\*, Jashanpreet kaur, Jyoti Singh

Chandigarh College of Pharmacy

\*Email Id: shavetasharma022@gmail.com

**Abstract:** The synthesis of copper oxide nano particles (CuO NPs) using moringa oleifera leaves extract as a green reducing agent has gained significant interest due to its eco-friendly and cost-effective nature. Moringa oleifera leaves extract acts as a reducing agent and capping agent simultaneously, making it a promising alternative to traditional methods. The size, shape, and optical properties of the synthesized CuO NPs can be controlled by varying the concentration of moringa oleifera leaves extract and reaction time. The synthesized CuO NPs exhibit excellent antimicrobial, antioxidant, antiviral, anti-inflammatory and catalytic activities, making them suitable for various applications in bio medicine, wastewater treatment, and energy storage. Overall, the green synthesis of CuO NPs using moringa oleifera leaves extract holds great potential for sustainable and green nanotechnology. FTIR and UV Studies carried out in which it showed that drug-drug and drug-excipients are compatible.

**Indexed Terms-** Nanocrystals, Nano suspension, Lquisolid Technology.

## I. INTRODUCTION

Nanoparticles are significantly smaller than the particles found in everyday materials, They can be produced using different methods, such as chemical precipitation, sol-gel, and aerosol methods. The synthesis method and the material used can influence the size, shape, surface area, and other properties of the nanoparticles.[1] In electronics, nanoparticles can be used for the fabrication of nanoelectronics and nanosensors.

In energy, nanoparticles can be used for energy conversion, storage, and harvesting. In environmental remediation, nanoparticles can be used for water purification, air pollution control, and soil remediation.[2] Despite the potential benefits of nanoparticles, there are concerns regarding their potential toxicity and environmental impact. Research is being conducted to understand the potential risks and develop safe and sustainable applications for nanoparticles. Overall, nanoparticles hold great promise for the development of innovative and sustainable technologies[3]

CuO NPs have dimensions in the nanometer scale range, typically ranging from 1 to 100 nanometers. The properties of CuO NPs can be tuned by controlling their size, shape, and surface chemistry. NPs have been extensively studied for their potential applications in areas such as catalysis, energy storage, biomedicine Their unique properties such as high catalytic activity, good electrical conductivity, and strong antimicrobial activity make them attractive for these applications.[4]

Despite their potential benefits, the use of CuO NPs raises concerns regarding their potential toxicity and environmental impact. Thus, extensive research is being conducted to understand their potential hazards and risks and to develop safe and sustainable applications for CuO NPs[5].

## II. LITERATURE REVIEW

Green synthesis of copper oxide nanoparticles (CuO NPs) using moringa oleifera leaves extract has gained significant attention in recent years due to its eco-friendly and

sustainable approach. NPs offers several advantages such as cost-effectiveness, non-toxicity, and biocompatibility. This literature review aims to summarize the recent studies on CuO NPs synthesized using moringa oleifera leaves extract and their potential applications.[6]

The synthesized CuO NPs exhibited good antimicrobial activity against various bacterial strains, including Escherichia coli and Staphylococcus aureus. [7,8].Development of antioxidant agents for biochemical applications can be possible by Green synthesized CuO NPs CuO NPs were synthesized using moringa oleifera leaves extract and tested for their antibiofilm activity against various bacterial strains. [9] The synthesized CuO NPs exhibited good antibiofilm activity and inhibited the formation of biofilms. The authors suggested that the green synthesis of CuO NPs using neem leaves extract can be a promising approach for the development of antibiofilm agents for medical applications.[10]

NPs were synthesized using moringa oleifera leaves extract and tested for their antioxidant activity. NPs were synthesized using moringa oleifera leaves extract and tested for their antioxidant activity. Further studies are needed to understand the toxicity and environmental impact of these nanoparticles and to develop safe and sustainable applications.[11] CuO NPs were synthesized using moringa oleifera leaves extract and tested for their photo-catalytic activity. Copper oxide nanoparticles have gained significant attention in recent years due to their unique physical and chemical properties, including high surface area to volume ratio, excellent catalytic activity, and strong antimicrobial properties.

However, the conventional methods for synthesizing copper oxide.To overcome these drawbacks, green synthesis methods have been developed using natural extracts such as moringa oleifera leaves extract.[12]

Studies have shown that copper oxide nanoparticles synthesize dusing moringa oleifera leaves extract possess excellent antibacterial, antifungal, antioxidant, and photocatalytic activities. In conclusion, the green synthesis of copper oxide nanoparticles using moringa oleifera

leaves extract is a promising approach for the development of eco-friendly and biocompatible nanoparticles with various potential applications. Further research is needed to explore the full potential of these nanoparticles and optimize their synthesis parameters for specific applications.[13,14]

Apart from nanoparticle Neem leaves has so many properties can be formulated in the form of Lquisolid Compacts. Nanoparticles enhance solubility as in case of liquisolid technology which converts drug solution into free flowing powder. Excipients play vital role in liquisolid technology. as increase wettability, surface area and aqueous solubility. [15] Lquisolid compacts possess number of advantages. Some of them are: -

- They possess lower cost of production
- Improves dissolution rate.
- Increased bioavailability[16] Lquisolid tablets by in vivo studies proves significant bioavailability rather commercial oral dosage forms, Sustain drug release[17]

### III. SYNTHESIS

The synthesis of copper oxide nanoparticles using moringa oleifera leaves extract involves the reduction of copper ions present in a copper precursor solution by the biomolecules present in the moringa oleifera leaves extract. These biomolecules reduce the copper ions to form CuO NPs and also cap the NPs to prevent agglomeration and ensure stability. The reaction is typically carried out at room temperature, and the size and shape of the CuO NPs can be controlled by varying the concentration of the moringa oleifera leaves extract and the reaction time.[18,19]

### IV. APPLICATIONS

The synthesized CuO NPs using moringa oleifera leaves extract have shown excellent antimicrobial activity against various pathogens, including bacteria, fungi, and viruses. This makes them promising candidates for biomedical applications such as drug delivery, wound healing, and diagnostic imaging. The CuO NPs also exhibit strong antioxidant activity, making them suitable for use in cosmetics and personal care products.[20]

In addition, the synthesized CuO NPs have shown excellent catalytic activity in various reactions, including the degradation of organic dyes and the reduction of pollutants in wastewater. This makes them a promising candidate for use in environmental remediation.[21] Apart from nanoparticle moringa oleifera leaves has so many properties can be formulated in the form of Lquisolid Compacts. Nanoparticles enhance solubility as in case of liquisolid technology which converts drug solution into free flowing powder.[22] Excipients play vital role in liquisolid technology. as increase wettability, surface area and aqueous solubility.

### V. METHODOLOGY

a) **Extract preparation:** The chosen leaves were washed twice, once with distilled water and twice with

running tap water. Then, absorbent paper was used to dry the leaves.

A sterilized knife was used to chop up these leaves into tiny

pieces. 250 ml of distilled water was added to a beaker containing roughly 40g of cut moringa oleifera leaves. This was heated to 60 °C for an hour. Aqueous component had at this point turned yellow. ordinary filter paper and Whatmann No. 1 filter paper was used. For later usage, it was then kept in the refrigerator.[23,24]



Figure 1. Moringa Oleifera Leaves

b) **Preparation of 0.1 M Copper Acetate Solutions** For Preparing A 0.1 M Copper Acetate Solution, standard measuring flask was filled to capacity with 4.99 g of copper acetate salt, correctly weighed, and then kept at a volume of 250 ml



Figure 2. Extract of Moringa oleifera Leaves

#### i. Materials and Methods



Figure 3. Copper Acetate

#### ii. Copper oxide nanoparticles synthesis

150 ml of neem leaf extract and 50 ml of copper acetate were combined in a beaker for the creation of copper oxide nanoparticles. When it was blended, it was noticed that the precipitate had a dark green tint and was brown in hue. This precipitate was obtained, centrifuged, cleaned

with distilled water and ethanol, and then allowed to dry overnight. CuO nanoparticles were gathered the following day.

- I. 40gm of the plant's green leaves were cut off and cleaned twice once in tap water and once in distilled water. boil the freshly cut leaves for 1 hour at a temperature of 80°C.
- II. After that 200ml of distilled water is used to boil freshly cut leaves for 1hr.at 80° C
- III. The boiling extract was filtered using regular filter paper, and the filtrate was then once more filtered using what-man filter paper and employed for more nanoparticle creation.
- IV. A solution of copper acetate was utilised as a precursor.
- V. A homogenizer was used to combine the plant extract(150 ml) and the precursor solution (50 ml) while heating the mixture at 80°C. Figure 5. Mixing of plant extract and precursor solution
- VI. A switch from green to dark brown in color indicated the presence of copper oxide.
- VII. What-man filter paper was used to filter the solution. The product was recovered after the brown solid filtration process and washed numerous times with ethanol and distilled water. At 80 °C, the product was dried overnight.




Figure 4. Synthesis of copper oxide nanoparticles

## VI. EVALUATION

### UV-Vis Spectra Analysis

UV-Vis spectral analysis of CuO NPs was done in the In wavelength range of 200-800nm analysis of CUO NPs was done as represented in Figure

The UV-Vis spectra analysis shows that the absorption values for CuO NPs was at 400nm.




Figure 5: Graph of UV- Visible spectra




Figure 6: Graph of FT-IR

The FTIR shows that there is no interaction between drug-drug and drug-excipients

## VII. CONCLUSION

Copper oxide Nanoparticles of moringa oleifera Leaves was prepared and spectral analysis performed. By UV- Visible spectra its wavelength gets to know. FTIR shows that there is no interaction between drug –drug and drug –excipients. It increase the solubility

## REFERENCES

- [1] Yadav D, Suri S, Choudhary AA, Sikender M, Hemant K, Beg NM, *et al.* Novel approach: Herbal remedies and natural products in pharmaceutical science as nano drug delivery systems. *Int J Pharm Tech* 2011;3:3092116.
- [2] Newman DJ, Cragg GM. Natural products as sources of new drugs over the last 25 years. *J Nat Prod* 2007;70:461-77.
- [3] Butler MS. Natural products to drugs: Natural product derived compounds in clinical trials. *NatProd Rep* 2008;25:475-516.
- [4] Ganesan A. The impact of natural products upon modern drug discovery. *Curr Opin Chem Biol* 2008; 12:306 17.
- [5] Shekhawat MS, Manokari M, Kannan N, Revathi J. Synthesis of silver nanoparticles for *Cardiospermum helicobacum* leaf extract. *Phytopharmacol J* 2013;2:15-20.
- [6] Charlish P. Traditional remedies: Latter day medicines. *Scrip World Pharm News* 2008;3351:31-4.
- [7] Singh RP, Singh SG, Naik H, Jain D, Bisla S. Herbal excipients in novel drug delivery system. *Int J Compr Pharm* 2011;2:1-7.
- [8] Bairwa NK, Sethiya NK, Mishra SH. Protective effect of

- stem bark of *Ceiba pentandra* linn. against paracetamol induced hepatotoxicity in rats. *Pharmacognosy Res* 2010;2:26-30.
- [9] Wu XY, Lee PI. Preparation and characterization of thermal- and pH-sensitive nanospheres. *PharmRes*1993;10:1544-7.
- [10] Nikalje AP. Nanotechnology and its applications in medicine. *Med Chem* 2015;5:2. Page 17
- [11] Gupta D, Nguyen P, Yu M. Nanoparticles for superior pharmacokinetics and enhanced efficacy. *J Dev Drugs* 2014;3:2.
- [12] Gao D. Drug design for cancer: Gold nanoparticle liposome hybrids for drug delivery and monitoring. *Drug Des* 2013;2:2.
- [13] Lopes CM. Therapeutics delivery: Innovations technology approaches. *Drug Des* 2014;3:3.
- [14] Module 3: Characteristics of Particles – Particle Size Categories. Available from: <http://www.epa.gov/apti/bces/module3/category/category.htm>. [Last accessed on 2015 Sep 01].
- [15] Sharma S. Role of excipients in Liquisolid technology. *International Journal of Contemporary Technology and Research*.Vol.4,Issue 2; 10.46860/cgcijctr
- [16] Sharma S\*, Sharma S, Singh S “Application of Liquisolid Technology in Antidiabetics” *International Journal of Contemporary Technology and Research*) Vol.-4, Issue-1 DOI: 10.46860/cgcijctr.2021.12.31.276
- [17] Sharma S, Arora V Powder Solution Technology Review *International Journal of Current Pharmaceutical Research* 2021; 13, I 4: 32-35
- [18] Vollath D. Nanomaterials – An introduction to synthesis, properties and application. *Environ Eng Manage J* 2008;7:865-70.
- [19] Sun L, Chow LC, Frukhtbeyn SA, Bonevich JE. Preparation and properties of nanoparticles of calcium phosphates with various Ca/P ratios. *J Res Natl Inst Stand Technol*2010;115:243-255.
- [20] Lue JT. Physical properties of nanomaterials. *Encyclopedia of Nanoscience and Nanotechnology*. Los Angeles: American Scientific Publishers; 2003.
- [21] Van Vlerken LE, Amiji MM. Multi-functional polymeric Nanoparticles for herbal extracts
- [22] *Asian Journal of Pharmaceutics* • Apr-Jun 2016 (Suppl) • 10 (2) | S60 nanoparticles for tumourtargeted drug delivery. *Expert Opin Drug Deliv* 2006;3:205-16.
- [23] Sahni JK, Baboota S, Ali J. Promising role of nano pharmaceuticals in drug delivery. *Pharm Times* 2011;43:16-8.
- [24] Müller RH, Mäder K, Gohla S. Solid lipid nanoparticles (SLN) for controlled drug delivery – A review of the state of the art. *Eur J Pharm Biopharm*2000;50:161-77. Page 18
- [25] Yen FL, Wu TH, Lin LT, Cham TM, Lin CC. Nanoparticles formulation of *Cuscuta chinensis* prevents acetaminophen-induced hepatotoxicity in rats. *Food Chem Toxicol*2008;46:1771-7.